TOSHIBA

2020-2-27 Rev.2.0

RD Number: RD112

RD Title: TB67S149FG Evaluation circuit BOM

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package	Not Mount
1	VM	1	Check terminal	_	_	Check pin		
2	VDD	1	Check terminal	_	_	Check pin		
3	GND	6	Check terminal	_	_	Check pin		
4	DMODE0	1	Check terminal	_	_	Check pin		
5	DMODE1	1	Check terminal	-	_	Check pin		
6	DMODE2	1	Check terminal	-	_	Check pin		
7	RESET	1	Check terminal	_	_	Check pin		
8	CLK	1	Check terminal	_	_	Check pin		
9	ENABLE	1	Check terminal	_	_	Check pin		
10	CW/CCW	1	Check terminal	_	_	Check pin		
11	COMA	1	Check terminal	_	_	Check pin		
12	OUTA+	1	Check terminal	_	_	Check pin		
13	OUTA-	1	Check terminal	_	_	Check pin		
14	OUTB-	1	Check terminal	_	_	Check pin		
15	OUTB+	1	Check terminal	_	_	Check pin		
16	СОМВ	1	Check terminal	_	_	Check pin		
17	VCOM	1	Check terminal	_	_	Check pin		
18	VCC	1	Check terminal	_	_	Check pin		
19	VREF	1	Check terminal	_	_	Check pin		
20	OSCM	1	Check terminal	_	_	Check pin		
21	ERR	1	Check terminal	_	_	Check pin		
22	МО	1	Check terminal	_	_	Check pin		
23	ZD	1	CMZ36	CMZ36	TOSHIBA	Zener diode	M-FLAT	
24	RVREF1	0	Not mount	_	_	Chip resistor		✓
25		0	Not mount	_	_	Leaded resistor		✓
26		2	Socket pin	_	_	Socket pin		

27	RVREF2	0	Not mount	_	_	Chip resistor		✓
28		0	Not mount	_	_	Leaded resistor		✓
29		2	Socket pin	_	_	Socket pin		
30	RERR	1	10kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
31		0	10kΩ	_	_	Leaded resistor		✓
32	RMO	1	10kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
33		0	10kΩ	_	_	Leaded resistor		✓
34	ROSCM	0	10kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	✓
35		1	10kΩ	_	_	Leaded resistor		
36		2	Socket pin	_	_	Socket pin		
37	CVM1	1	100μF 50V YK	_	_	Electrolytic capacitor		
38	CVM2	1	0.1µF 100V	_	_	Chip capacitor		
39		0	0.1µF	_	_	Ceramic capacitor		✓
40	CVDD	1	10μF 50V	_	_	Electrolytic capacitor		
41	cvcc	1	0.1µF 100V	_	_	Chip capacitor		
42	C1 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
43	C2 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
44	C3	0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
45	C4 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	✓
46	C5 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	✓
47	C6	0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	✓
48	C7 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
49	C9 (0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	✓
50	C13	0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	✓
51	C15	0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
52	C17	0	0.1µF	_	_	Chip capacitor	3.2mm×1.6mm	√
53	JP1	1	Pin header 2P	_	_	Jumper		
54		1	Jumper socket	_	_	Jumper Short		
55	SW1	1	Pin header 3P	_	_	Jumper		
56	(DMODE0)	1	Jumper socket	_	_	Jumper Short		
57	SW2	1	Pin header 3P	_	_	Jumper		
58	(DMODE1)	1	Jumper socket	_	_	Jumper Short		
59	SW3	1	Pin header 3P	_	_	Jumper		
60	(DMODE2)	1	Jumper socket	_	_	Jumper Short		

61	SW4	1	Pin header 3P	_	_	Jumper		
62	(RESET)	1	Jumper socket	_	_	Jumper Short		
63	SW5	0	Pin header 3P	_	_	Jumper		✓
64	(CLK)	0	Jumper socket	_	_	Jumper Short		✓
65	SW6	1	Pin header 3P	_	_	Jumper		
66	(ENABLE)	1	Jumper socket	_	_	Jumper Short		
67	SW7	1	Pin header 3P	_	_	Jumper		
68	(CW/CCW)	1	Jumper socket	_	_	Jumper Short		
69	CVREF	1	0.1μF 100V	_	_	Chip capacitor	3.2mm×1.6mm	
70	CON1	3	Terminal block 2P	_	_	Terminal block 2P ×3		
71	IC1	1	TB67S149FG	TB67S149FG	TOSHIBA	Motor driver IC	HSSOP28	

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

1. Restrictions on usage

- 1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
- 2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
- 3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
- 4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

2. Limitations

- 1. We reserve the right to make changes to this Reference Design without notice.
- 2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
- 3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

- refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".
- 4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- 5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
- 6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.