2020-05-07 Rev.2.0

RD Number: RD052

TOSHIBA

RD Title: TB67S279FTG Evaluation circuit BOM

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package	Not Mount
1	IC1	1	TB67S279FTG	TB67S279FTG	TOSHIBA	Motor driver IC	QFN48	
2	RCLM11	1	100kΩ	_	_	Chip resistor		
3	RCLM12	1	100kΩ	_	_	Chip resistor		
4	RFLM1	1	100kΩ	_	_	Chip resistor		
5	RFLM2	1	100kΩ	_	_	Chip resistor		
6	RBOOST1	1	100kΩ	_	_	Chip resistor		
7	RBOOST2	1	100kΩ	_	_	Chip resistor		
8	RLTH	1	100kΩ	_	_	Chip resistor		
9	C13	0	Not mount	_	_	Capacitor		✓
10	C17	0	Not mount	_	_	Capacitor		✓
11	C19	0	Not mount	_	_	Capacitor		✓
12	C23	0	Not mount	_	_	Capacitor		✓
13	CVM1	1	100μF 50V	_	_	Electrolytic capacitor		
14	CVM2	1	0.1µF 50V	_	_	Chip capacitor		
15	RVF1	1	20kΩ	_	_	Leaded resistor		
16	RVF2	1	10kΩ	_	_	Leaded resistor		
17	RVF3	1	10kΩ	_	_	Leaded resistor		
18	TVF	1	RN1401	RN1401	TOSHIBA	Bias resistor built-in transistor	SOT-346 (S-Mini)	
19	CVFA	1	0.1µF 50V	_	_	Chip capacitor		
20	CVFB	1	0.1µF 50V	_	_	Chip capacitor		
21	CVCC	1	0.1µF 50V	_	_	Chip capacitor		
22	ROSCM	1	5.1kΩ	_	_	Chip resistor		
23	COSCM	1	270pF 50V	<u></u>		Chip capacitor		
24	RMO	1	10kΩ	_	_	Chip resistor		
25	RLO1	1	10kΩ	_	_	Chip resistor		

26	RLO2	1	10kΩ	_	_	Chip resistor	
27	SW_AGC0	1	Toggle switch	_	_	Toggle switch	
28	SW_AGC1	1	Toggle switch	_	_	Toggle switch	
29	SW_CLM0	1	Toggle switch	_	_	Toggle switch	
30	SW_CLM1	1	Rotary switch	_	_	Rotary switch 1 pole 4 contacts	
31	SW_FLM	1	Rotary switch	_	_	Rotary switch 1 pole 4 contacts	
32	SW_BOOST	1	Rotary switch	_	_	Rotary switch 1 pole 4 contacts	
33	SW_39	1	Toggle switch	_	_	Toggle switch	
34	SW_40	1	Toggle switch	_	_	Toggle switch	
35	SW_41	1	Toggle switch	_	_	Toggle switch	
36	SW_42	1	Toggle switch	_	_	Toggle switch	
37	SW_43	1	Toggle switch	_	_	Toggle switch	
38	SW_44	1	Toggle switch	_	_	Toggle switch	
39	SW_45	1	Toggle switch	_	_	Toggle switch	
40	JP1	1	Pin header 2P	_	_	Single row plugs	
41		1	Jump socket	_	_	Position Shunt Connector	
42	JP2	1	Pin header 2P	_	_	Single row plugs	
43		1	Jump socket	_	_	Position Shunt Connector	
44	CNMT	1	Connector	_	_	Connector 4P	
45	CNSRI	0	Connector	_	_	Connector 3P	 ✓
46	CNSRO	0	Connector	_	_	Connector 3P	✓

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

1. Restrictions on usage

- 1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
- 2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
- 3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
- 4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

2. Limitations

- 1. We reserve the right to make changes to this Reference Design without notice.
- 2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
- 3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

- refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".
- 4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- 5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
- 6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.